

## 460 Series Single Size Steam Process Plugs



4" Single-Size Steam Process w/ 1" Threaded Bypass

	<u>U.S. Standard</u>	<u>Metric</u>
<b>Size Range</b>	4.0"	100 mm
<b>Diameter</b>	2.5"	64 mm
<b>Length</b>	12.0"	305 mm
<b>Bypass Size</b>	1.0"	25 mm
<b>Required Inflation Pressure</b>	40 psi	2.8 bar

Item Number: 460-4

6" Single-Size Steam Process w/ 2" Threaded Bypass

	<u>U.S. Standard</u>	<u>Metric</u>
<b>Size Range</b>	6.0"	150 mm
<b>Diameter</b>	3.8"	97 mm
<b>Length</b>	12.0"	305 mm
<b>Bypass Size</b>	2.0"	51 mm
<b>Required Inflation Pressure</b>	40 psi	2.8 bar

Item Number: 460-6

8" Single-Size Steam Process w/ 2" Threaded Bypass

	<u>U.S. Standard</u>	<u>Metric</u>
<b>Size Range</b>	8.0"	200 mm
<b>Diameter</b>	5.3"	135 mm
<b>Length</b>	12.0"	305 mm
<b>Bypass Size</b>	2.0"	51 mm
<b>Required Inflation Pressure</b>	40 psi	2.8 bar

Item Number: 460-8



10" Single-Size Steam Process w/ 2" Threaded Bypass

	<u><b>U.S. Standard</b></u>	<u><b>Metric</b></u>
<b>Size Range</b>	10.0"	254 mm
<b>Diameter</b>	6.5"	165 mm
<b>Length</b>	12.0"	305 mm
<b>Bypass Size</b>	2.0"	51 mm
<b>Required Inflation Pressure</b>	40 psi	2.8 bar

Item Number: 460-10

12" Single-Size Steam Process w/ 2" Threaded Bypass

	<u><b>U.S. Standard</b></u>	<u><b>Metric</b></u>
<b>Size Range</b>	12.0"	305 mm
<b>Diameter</b>	8.5"	216 mm
<b>Length</b>	12.0"	305 mm
<b>Bypass Size</b>	2.0"	51 mm
<b>Required Inflation Pressure</b>	40 psi	2.8 bar

Item Number: 460-12

15" Single-Size Steam Process w/ 2" Threaded Bypass

	<u><b>U.S. Standard</b></u>	<u><b>Metric</b></u>
<b>Size Range</b>	15.0"	375 mm
<b>Diameter</b>	10.0"	254 mm
<b>Length</b>	12.0"	305 mm
<b>Bypass Size</b>	2.0"	51 mm
<b>Required Inflation Pressure</b>	40 psi	2.8 bar

Item Number: 460-15



18" Single-Size Steam Process w/ 2" Threaded Bypass

	<u><b><i>U.S. Standard</i></b></u>	<u><b><i>Metric</i></b></u>
<b><i>Size Range</i></b>	18.0"	450 mm
<b><i>Diameter</i></b>	13.5"	343 mm
<b><i>Length</i></b>	12.0"	305 mm
<b><i>Bypass Size</i></b>	2.0"	51 mm
<b><i>Required Inflation Pressure</i></b>	40 psi	2.8 bar

Item Number: 460-18

21" Single-Size Steam Process w/ 2" Threaded Bypass

	<u><b><i>U.S. Standard</i></b></u>	<u><b><i>Metric</i></b></u>
<b><i>Size Range</i></b>	21.0"	525 mm
<b><i>Diameter</i></b>	16.0"	406 mm
<b><i>Length</i></b>	15.0"	381 mm
<b><i>Bypass Size</i></b>	2.0"	51 mm
<b><i>Required Inflation Pressure</i></b>	40 psi	2.8 bar

Item Number: 460-21

24" Single-Size Steam Process w/ 2" Threaded Bypass

	<u><b><i>U.S. Standard</i></b></u>	<u><b><i>Metric</i></b></u>
<b><i>Size Range</i></b>	24.0"	600 mm
<b><i>Diameter</i></b>	19.0"	483 mm
<b><i>Length</i></b>	15.0"	381 mm
<b><i>Bypass Size</i></b>	2.0"	51 mm
<b><i>Required Inflation Pressure</i></b>	40 psi	2.8 bar

Item Number: 460-24